

REMARKS

In response to the Notice to File Missing Parts dated August 17, 2004, applicant submits herewith a Substitute Specification. Applicant asserts that no new matter has been added to the application through the proposed substitution. Also attached is a redlined substitute specification reflecting the changes.

Applicant notes that Figure 5 has been amended to label the electric control unit as an E.C.U. rather than a E.P.U. as originally submitted. Accordingly, 1 sheet of replacement drawings (Figs. 4-5) is presented herewith for approval.


The Director is authorized to charge any additional fees due by way of this Amendment, or credit any overpayment, to our Deposit Account No. 19-1090.

All of the claims remaining in the application are now clearly allowable. Favorable consideration and a Notice of Allowance are earnestly solicited.

If questions remain, the Examiner is invited to contact applicant's attorney at the telephone number listed below.

Respectfully submitted,

SEED Intellectual Property Law Group PLLC



Kevin S. Costanza

Registration No. 37,801

KSC:ljs

Enclosures:

- Postcard
- Substitute Specification
- Redlined Substitute Specification
- 1 Sheet of Replacement Drawings (Figures 4-5)

701 Fifth Avenue, Suite 6300
Seattle, Washington 98104-7092
Phone: (206) 622-4900
Fax: (206) 682-6031

520296_1.DOC

Amendments to the Drawings:

The attached sheet of drawings includes a change to Figure 5. This sheet, which includes Figs. 4-5, replaces the original sheet including Figs. 4-5.

Attachment: 1 Replacement Sheet